



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Super Cherries

Sample ID: 2604NBL0620.1631

Matrix: Plant

Type: Flower - Uncured

Sample Size:

Date Collected:

Received: 04/03/2026

Completed: 04/03/2026

Expires: 04/04/2027

External Lot ID:

Batch#:

Client

California Cure Group INC



Summary

Test
Cannabinoids

Date Tested
04/03/2026

Result
Complete

Cannabinoids

Complete

18.418%

Total THC

0.096%

Δ^9 -THC

ND

Total CBD

21.432%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0498	0.075	ND	ND
9R-HHC	0.0498	0.075	ND	ND
(6aR,9S)-d10-THC	0.0498	0.075	ND	ND
9S-HHC	0.0498	0.075	ND	ND
CBC	0.0498	0.075	ND	ND
CBCa	0.0498	0.075	0.110	1.10050
CBD	0.0498	0.075	ND	ND
CBDa	0.0498	0.075	ND	ND
CBDV	0.0498	0.075	ND	ND
CBDVa	0.0498	0.075	ND	ND
CBG	0.0498	0.075	0.093	0.93471
CBGa	0.0498	0.075	0.156	1.55733
CBN	0.0498	0.075	ND	ND
CBNa	0.0498	0.075	ND	ND
Δ^8 -THC	0.0498	0.075	ND	ND
Δ^9 -THC	0.0498	0.075	0.096	0.96173
THCa	0.0498	0.075	20.892	208.91614
THCp	0.0498	0.075	ND	ND
THCV	0.0498	0.075	ND	ND
THCVa	0.0498	0.075	0.085	0.85129
Total THC			18.418	184.18119
Total CBD			ND	ND
Total			21.432	214.32170

Date Tested: 04/03/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.

Ashley N Phillips

Ashley Phillips
Laboratory Director
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.