New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Grape Runtz

Sample ID: 2604NBL0743.2006
Matrix: Plant
Type: Flower - Uncured
Sample Size:
Date Collected:

Received: 11/03/2026
Completed: 11/03/2026
Expires: 11/04/2027
External Lot ID:
Batch#:

Client
California Cure Group Inc



Summary

Test	Date Tested	Result
Cannabinoids	11/03/2026	Complete

Cannabinoids

Complete

19.814%	0.189%	ND	23.067%
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0467	0.070	ND	ND
9R-HHC	0.0467	0.070	ND	ND
(6aR,9S)-d10-THC	0.0467	0.070	ND	ND
9S-HHC	0.0467	0.070	ND	ND
CBC	0.0467	0.070	ND	ND
CBCa	0.0467	0.070	0.115	1.14883
CBD	0.0467	0.070	ND	ND
CBDa	0.0467	0.070	ND	ND
CBDV	0.0467	0.070	ND	ND
CBDVa	0.0467	0.070	ND	ND
CBG	0.0467	0.070	0.099	0.99359
CBGa	0.0467	0.070	0.202	2.01704
CBN	0.0467	0.070	ND	ND
CBNa	0.0467	0.070	ND	ND
Δ8-THC	0.0467	0.070	ND	ND
Δ9-THC	0.0467	0.070	0.189	1.88666
THCa	0.0467	0.070	22.378	223.77584
THCp	0.0467	0.070	ND	ND
THCV	0.0467	0.070	ND	ND
THCVa	0.0467	0.070	0.085	0.84979
Total THC			**19.814**	**198.13808**
Total CBD			**ND**	**ND**
Total			**23.067**	**230.67176**

Date Tested: 11/03/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley Phillips
Laboratory Director
11/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.