New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

SFV OG

Sample ID: 2604NBL0620.1640
Matrix: Plant
Type: Flower - Uncured
Sample Size:
Date Collected:

Received: 11/03/2026
Completed: 11/03/2026
Expires: 11/04/2027
External Lot ID:
Batch#:

Client
California Cure Group Inc



Summary

Test	Date Tested	Result
Cannabinoids	11/03/2026	Complete

Cannabinoids

Complete

20.115%	0.227%	ND	23.407%
Total THC	Δ9-THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0457	0.068	ND	ND
9R-HHC	0.0457	0.068	ND	ND
(6aR,9S)-d10-THC	0.0457	0.068	ND	ND
9S-HHC	0.0457	0.068	ND	ND
CBC	0.0457	0.068	ND	ND
CBCa	0.0457	0.068	0.120	1.19753
CBD	0.0457	0.068	ND	ND
CBDa	0.0457	0.068	ND	ND
CBDV	0.0457	0.068	ND	ND
CBDVa	0.0457	0.068	ND	ND
CBG	0.0457	0.068	0.104	1.04390
CBGa	0.0457	0.068	0.184	1.83766
CBN	0.0457	0.068	ND	ND
CBNa	0.0457	0.068	ND	ND
Δ8-THC	0.0457	0.068	ND	ND
Δ9-THC	0.0457	0.068	0.227	2.27225
THCa	0.0457	0.068	22.677	226.76921
THCp	0.0457	0.068	ND	ND
THCV	0.0457	0.068	ND	ND
THCVa	0.0457	0.068	0.095	0.95418
Total THC			**20.115**	**201.14885**
Total CBD			**ND**	**ND**
Total			**23.407**	**234.07474**

Date Tested: 11/03/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%.

Ashley Phillips
Laboratory Director
11/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.