ACS LABORATORY | BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003

SINGLE SHOTS-ZCOOBY ZNACKZ-1G-PREROLL
Sample Matrix: HEMP
Flower
Inhalation

Certificate of Analysis

Compliance Test

Client Information:
California Cure Group Inc

Batch Data:
Batch # SSK-2604-P
Batch Date: 2026-10-28
Extracted From: N/A

Order Details:
Test Reg State: Florida

Order # FOR261029-120001
Order Date: 2026-10-29
Sample # AAHJ672

Sampling Date: 2026-10-29
Lab Batch Date: 2026-10-29
Completion Date: 2026-10-29

Initial Gross Weight: 26.700 g
Net Weight: 1.000 g

Net Weight per Package: 1000.000 mg

Net Weight per Serving: 1000 mg
Servings Per Package: 1

Potency 11 (LCUV)

Specimen Weight: 208.690 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)	Per Serving (mg)	Per Package (mg)
THCA-A	15.000	3.20E-5	0.015	271	27.1	542	542
Delta-8 THC	15.000	2.60E-5	0.015	67.7	6.77	135	135
CBD	15.000	5.40E-5	0.015	31.3	3.13	62.6	62.6
CBGA	15.000	8.00E-5	0.015	20.0	2.00	40.1	40.1
CBG	15.000	2.48E-4	0.015	2.12	0.212	4.24	4.24
CBDA	15.000	1.00E-5	0.015	1.76	0.176	3.52	3.52
THCV	15.000	7.00E-6	0.015	1.07	0.107	2.14	2.14
CBC	15.000	1.80E-5	0.015	0.900	0.0900	1.80	1.80
CBN	15.000	1.40E-5	0.015	0.680	0.0680	1.36	1.36
CBDV	15.000	6.50E-5	0.015	<LOQ	<LOQ	0.00	0.00
Delta-9 THC	15.000	1.30E-5	0.015	<LOQ	<LOQ	0.00	0.00
Total Active THC	15.000			238	23.8	475	475
Total Active CBD	15.000			32.9	3.29	65.7	65.7

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.